

Prepared for:

INDEED BREWING COMPANY711 15TH AVE NE STE 102
MINNEAPOLIS, MN USA 55413**2G005 BT3 Test #1**

Batch ID or Lot Number: 2G005	Test: Potency	Reported: 26Aug2022	USDA License: N/A
Matrix: Unit	Test ID: T000219453	Started: 26Aug2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 26Aug2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.161	0.473	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.147	0.432	ND	ND	
Cannabidiol (CBD)	0.380	1.214	1.900	0.00	
Cannabidiolic Acid (CBDA)	0.389	1.245	ND	ND	
Cannabidivarin (CBDV)	0.090	0.287	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.162	0.519	ND	ND	
Cannabigerol (CBG)	0.091	0.268	ND	ND	
Cannabigerolic Acid (CBGA)	0.382	1.122	ND	ND	
Cannabinol (CBN)	0.119	0.350	ND	ND	
Cannabinolic Acid (CBNA)	0.261	0.765	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.455	1.336	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.413	1.213	1.940	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.366	1.075	ND	ND	
Tetrahydrocannabivarin (THCV)	0.083	0.244	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.323	0.948	ND	ND	
Total Cannabinoids			3.840	0.01	
Total Potential THC			1.940	0.01	
Total Potential CBD			1.900	0.01	

Final ApprovalSam Smith
26Aug2022
03:41:00 PM MDTJacob Miller
26Aug2022
03:43:00 PM MDT

PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/17f9475c-fe9d-454d-a143-738f202ec022>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

17f9475cfe9d454da143738f202ec022.1