

Prepared for:
INDEED BREWING COMPANY

711 15TH AVE NE STE 102
MINNEAPOLIS, MN USA 55413

2G006 T#2

Batch ID or Lot Number: 2G006	Test: Potency	Reported: 08Sep2022	USDA License: N/A
Matrix: Unit	Test ID: T000220793	Started: 08Sep2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 08Sep2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.163	0.496	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.149	0.453	ND	ND	
Cannabidiol (CBD)	0.448	1.272	2.240	0.00	
Cannabidiolic Acid (CBDA)	0.459	1.305	ND	ND	
Cannabidivarin (CBDV)	0.106	0.301	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.192	0.544	ND	ND	
Cannabigerol (CBG)	0.093	0.281	ND	ND	
Cannabigerolic Acid (CBGA)	0.387	1.177	ND	ND	
Cannabinol (CBN)	0.121	0.367	ND	ND	
Cannabinolic Acid (CBNA)	0.264	0.803	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.462	1.402	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.419	1.273	2.310	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.371	1.128	ND	ND	
Tetrahydrocannabivarin (THCV)	0.084	0.256	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.328	0.995	ND	ND	
Total Cannabinoids			4.550	0.01	
Total Potential THC			2.310	0.01	
Total Potential CBD			2.240	0.01	

Final Approval



Karen Winternheimer
08Sep2022
03:28:00 PM MDT

PREPARED BY / DATE



Jacob Miller
08Sep2022
03:30:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/4c967fb1-8b6c-4343-aa9b-6fd0b36312e6>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

4c967fb18b6c4343aa9b6fd0b36312e6.1